- Precision care for every creature
- Advanced veterinary solutions



BESDATA



Bescope Veterinary Endoscope Solutions

Bescope Gastro
Bescope Portable
Bescope Flexi
Bescope Rigid

Can be connected to
PC/PAD/Phone and image processor

For animal use only

SHENZHEN BESDATA TECHNOLOGY CO.,LTD

503, Building #2, Xinnantian Industrial Park, No. 3179, Danzi Avenue, Laokeng Community,Longtian Street, Pingshan District, Shenzhen.China.

+86-755-84416070 support@besdatatech.com www.besdatatech.com

No:BESDATA-SDR-0005 Rev:A/0

Bescope Gastro

Which is applied to do the stomach duodenal bulb and the first part of duodenal bulb to observe a variety of diseases, diagnosis Pathological changes of the above parts can be directly see and diagnosed.



Multi- directional bending capability
· Flexible,full-angle deflection and positioning control
· Lever damping is light and easy to control



Compatible with three-way valve

130°
Deflection all direction

2.8mm
Working Channel
Designed to provide compatibility with the most commonly used endotherapy instruments

1.0mm
Irrigation channel
Ensures a clear field of vision during surgery


Suitable for small animals and conventional animals

Product Parameters

Order Number	OD	ID	Working length	Angulation Range
V308116	7.0mm	2.8mm	1200mm	Universal 130°

Bescop Flexi

The veterinary flexible endoscope is designed for internal examinations and minimally invasive procedures in animals. It offers clear imaging and flexible operation, suitable for bronchial, ENT, urology system, gastrointestinal tract, etc.



Transfer Handle
Order Number:V30102038

Product Parameters

Suitable For	Order Number	OD	ID	Working length	Angulation Range
ENT	V308108	3.5mm	/	330mm	U130°/D130°
	V308111	4.0mm	2.0mm	330mm	U130°/D130°
Urology/Bronchial	V308150	2.8mm	1.2mm	600mm	U180°/D180°
	V-YF	2.5mm	1.2mm	600mm	U180°/D180°

Bescope Portable

The veterinary portable endoscope is designed for internal examinations and minimally invasive procedures in animals. It offers clear imaging and flexible operation, suitable for pets and large animals.



2.0mm
Ultra Slim Insertion



External working channels



Connects to external monitor via HDMI



USB adapter connect to flexible endoscope
Order Number:V30102069



Hoster Machine Parameters

Order number	Display	Camera Resolution	Memory type	Output
V30101038	3 inch LCD	1280*720	32GB Micro SD card	USB
V30101123	3 inch LCD	1280*720	32GB Micro SD card	USB,mini HDMI


Probe Parameters

Order Number	Working Length	Max OD	Field of View	Direction of View	Application
V308019	30mm	4.2mm	120°	0°	Ear
V308020	80mm	4.2mm	120°	0°	Nose
V308021	165mm	4.2mm	120°	0°	Laryngoscope /Nose
V308022	175mm	7.0mm	120°	0°	Laryngoscope /Nose
V308041	175mm	4.2mm	120°	0°	Flexible for ENT,et
V308043	165mm	3.6mm	120°	0°	Laryngoscope /Nose
V308044	175mm	6.0mm	120°	70°	Laryngoscope /Nose
V308045	175mm	6.0mm	120°	90°	Laryngoscope /Nose
V308050	70mm	2.0mm	120°	0	Laryngoscope /Nose
V30102106	100mm	3.0mm	120°	0°	Laryngoscope /Nose
V30102071	143mm Bend length 20mm	3.0mm	120°	Bend at 30°	Mouth/Sinuses

Bescope Rigid

Works with a wide range of medical devices

Foreign Body Forceps,Biopsy Forceps,Cytology Brush,Retrieval Basket



HD High Definition Imaging

Vertical Instrument Channel

Applicable to intervertebral foramina, joints, ear and nasal cavities, thoracic , abdominal cavities.

Ergonomic handle




Transfer Handle
Order Number:V30102045

Product Parameters

Order Number	OD	ID	Working length	Instrument channel length
V308056	5.5mm	2.2mm	270mm	330mm
V308002	4.2mm	2.2mm	270mm	330mm

USB Cable/HDMI to PC/Laptop

Can be connected to PC/PAD/Mobile and also to an image processor *(Windows/macOS/Android compatible)*



PC/Laptop



Imager Processor



Tablet



Mobile